

# FAIR DINKUM SOLAR PUMPS



## PRICE LIST

SEPTEMBER 2021

# PRICE LIST

All prices are exclusive of GST



## PRICING

All pricing is RRP and does not include wholesale discount or GST.

## PUMP SIZING

For product longevity, BW Solar strongly recommend upsizing the pumping system if operating close to the limit of the pump systems lift or flow rate capability.

Operating above the pumps capabilities will reduce life and increase chance of failure due to stress on the entire system.

Online sizing software available go to [www.bwsolar.com.au](http://www.bwsolar.com.au)

## ACCOUNT APPLICATION

Contact [accounts@bwsolar.com.au](mailto:accounts@bwsolar.com.au) for a credit application.

## PRODUCT AVAILABILITY

We try our best to have most products on the shelf however, it would help us a great deal if you could do some forward planning and order in advance whenever possible.

## FREIGHT

Freight is not included in our prices

## RETURN POLICY

Please contact us prior to any return of goods to obtain authorisation.

Goods ordered and shipped but then returned (other than faulty goods) must be received back within 21 days of original shipment, in unused/undamaged condition, in original packaging. Customer to pay return freight costs and 20% restocking fee. Pump parts ordered (rotor/stator or impellers) are non-returnable.

We would like you to note that faulty products need to be returned to us at your cost. We will get a replacement to you at our cost if warranty approved.

## MARKETING

We would appreciate any installations photos be emailed to [sales@bwsolar.com.au](mailto:sales@bwsolar.com.au) or sent as picture message to your account manager. These pictures will be uploaded to your profile on our website and used in advertising with your permission.



***We have moved to 33 Emerald Road, Maddington, WA, 6109.***  
***Please update your records to avoid any confusion.***



# PRICE LIST

All prices are exclusive of GST



## Helical Rotor (HR) solar pump systems include

- Drive Pack - pump, motor, controller
- Heavy duty cyclone rated pole mount frame
- Mono crystalline solar panels
- Bore or Dam mounting accessory kit
- 35m or 40m Cabling set (power, low water & SS safety)

### 3HR200

### 3HR300

### 3HRH400

TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
5	17	6,120	26	9,360	32	11,520
10	16	5,760	25	9,000	31	11,160
15	14	5,040	24	8,640	30	10,800
20	12	4,320	22	7,920	29	10,440
25	10	3,600	20	7,200	28	10,080
30	8	2,880	18	6,480	27	9,720
40			13	4,680	23	8,280
50			8	2,880	20	7,200
60					15	5,400
70					12	4,320

**RRP**

**\$3,500**

**\$4,200**

**\$4,600**

### 4HR400

### 4HRH800

### 4HRH1100

### 4HRH2200

TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
10	47	16,920	38	13,680	51	18,360	61	21,960
20	37	13,320	37	13,320	50	18,000	61	21,960
30	27	9,720	36	12,960	47	16,920	61	21,960
40	18	6,480	34	12,240	46	16,560	60	21,600
50			33	11,880	44	15,840	55	19,800
60			30	10,800	42	15,120	50	18,000
70			28	10,080	39	14,040	45	16,200
80			26	9,360	36	12,960	40	14,400
90			15	5,400	33	11,880	38	13,680
100					28	10,080	34	12,240
110					25	9,000	30	10,800
120					20	7,200	27	9,720
130							23	8,280
140							19	6,840

**RRP**

**\$4,950**

**\$5,650**

**\$6,050**

**\$7,250**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



Mono Crystalline  
Solar Panels



35m/40m Power Cable  
low water probe & safety  
cabling



- Dry run protection
- Bore cap or Dam float
- Spare helical rotor
- Easy DIY installation manual



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 3HR200 3" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 30m
- Flow rate up to 6,120 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 3HR200

TDH	L/Min	L/Day
5	17	6120
10	16	5760
15	14	5040
20	12	4320
25	10	3600
30	8	2880


**\$3,500+GST Complete & ready to install**

Bore part number: 3HR200-B35 / Dam Floating part number: 3HR200-D35

### Each Waterboy solar pump system includes:



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



2x105w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



35m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

3HRSS  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6013 - 3" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 175 x 55 x 65cm @ 125kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 3HR300 3" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 50m
- Flow rate up to 9,360 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 3HR300

TDH	L/Min	L/Day
5	26	9,360
10	25	9,000
15	24	8,640
20	22	7,920
25	20	7,200
30	18	6,480
40	13	4,680
50	8	2,880


**\$4,200+GST Complete & ready to install**

Bore part number: 3HR300-B35 / Dam Floating part number: 3HR300-D35

**Each Waterboy solar pump system includes:**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



3x105w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



35m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

3HRSS  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6013 - 3" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 175 x 55 x 65cm @ 135kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 3HRH400 3" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 70m
- Flow rate up to 11,520 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 3HRH400

TDH	L/Min	L/Day
5	32	11,520
10	31	11,160
15	30	10,800
20	29	10,440
25	28	10,080
30	27	9,720
40	23	8,280
50	20	7,200
60	15	5,400
70	12	4,320


**\$4,600+GST Complete & ready to install**

Bore part number: 3HRH400-B40 / Dam Floating part number: 3HRH400-D40

**Each Waterboy solar pump system includes:**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x105w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

3HRSS-H  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6013 - 3" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 175 x 55 x 65cm @ 150kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4HR400 4" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 40m
- Flow rate up to 16,920 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4HR400

TDH	L/Min	L/Day
10	47	16,920
20	37	13,320
30	27	9,720
40	18	6,480

**\$4,950+GST Complete & ready to install**

Bore part number: 4HR400-B40 / Dam Floating part number: 4HR400-D40


### Each Waterboy solar pump system includes:



4HRSS  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x105w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6014 - 4" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 175 x 55 x 65cm @ 165kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4HRH800 4" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 90m
- Flow rate up to 13,680 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4HRH800

TDH	L/Min	L/Day
10	38	13,680
20	37	13,320
30	36	12,960
40	34	12,240
50	33	11,880
60	30	10,800
70	28	10,080
80	26	9,360
90	15	5,400

**\$5,650+GST Complete & ready to install**

Bore part number: 4HRH800-B40 / Dam Floating part number: 4HRH800-D40


**Each Waterboy solar pump system includes:**



4HRSS-H  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



3x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6014 - 4" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 210 x 100 x 55cm @ 195kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 4HRH1100 4" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 120m
- Flow rate up to 18,360 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4HRH1100

TDH	L/Min	L/Day
10	51	18,360
20	50	18,000
30	47	16,920
40	46	16,560
50	44	15,840
60	42	15,120
70	39	14,040
80	36	12,960
90	33	11,880
100	28	10,080
110	25	9,000
120	20	7,200


**\$6,050+GST Complete & ready to install**

Bore part number: 4HRH1100-B40 / Dam Floating part number: 4HRH1100-D40

### Each Waterboy solar pump system includes:



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

4HRSS-H  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6014 - 4" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 210 x 100 x 60cm @ 215kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 4HRH2200 4" Helical Rotor Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 140m
- Flow rate up to 21,600 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4HRH2200

TDH	L/Min	L/Day
40	60	21,600
50	55	19,800
60	50	18,000
70	45	16,200
80	40	14,400
90	38	13,680
100	34	12,240
110	30	10,800
120	27	9,720
130	23	8,280
140	19	6,840


**\$7,250+GST Complete & ready to install**

Bore part number: 4HRH2200-B40 / Dam Floating part number: 4HRH2200-D40

**Each Waterboy solar pump system includes:**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



8x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

4HRSS-H  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6014 - 4" HR sacrificial anode



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$99+GST



Shipping Dimensions  
1x Crate 290 x 55 x 65cm @ 230kg  
1x pallet 170 x 115 x 43cm @ 170kg

# PRICE LIST

All prices are exclusive of GST



## FAIR DINKUM SOLAR PUMPS

### Centrifugal (C) solar pump systems include

- Drive Pack - pump, motor, controller
- Heavy duty cyclone rated pole mount frame
- Mono crystalline solar panels
- Bore or Dam mounting accessory kit
- DC isolator for systems above 400w

4C48400			4C5121100		4C781100		4C1261100	
TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
5	42	15,120	60	21,600	100	36,000	160	57,600
10	41	14,760	60	21,600	95	34,200	130	46,800
15	34	12,240	55	19,800	90	32,400	110	39,600
20	28	10,080	52	18,720	85	30,600	90	32,400
25			48	17,280	70	25,200	80	28,800
30			45	16,200	60	21,600		
40			36	12,960	40	14,400		
RRP	\$5,335		\$6,670		\$6,670		\$6,670	


5C2822200			4C1262200		4C782200		4C5122200	
TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
10	260	93,600	200	72,000	130	46,800	80	28,800
20			160	57,600	120	43,200	75	27,000
30			120	43,200	100	36,000	70	25,200
40			90	32,400	90	32,400	63	22,680
50					80	28,800	57	20,520
60					70	25,200	50	18,000
70							40	14,400
80							32	11,520
90							26	9,360
RRP	\$8,145		\$8,145		\$8,145		\$8,145	



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



Mono Crystalline  
Solar Panels



40m Power Cable  
low water probe &  
safety cabling



- Dry run protection
- Bore cap or Dam float
- Easy DIY installation manual

# PRICE LIST

All prices are exclusive of GST



## FAIR DINKUM SOLAR PUMPS

### 3000W Centrifugal (C) solar pump systems include

- Drive Pack - pump, motor, controller
- Heavy duty cyclone rated pole mount frame
- 3000W Mono crystalline solar panels
- Bore or Dam mounting accessory kit
- DC isolator

4CSS 4-46-3000			4CSS 7-31-3000		4CSS 12-18-3000		4CSS 20-10-3000	
TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
10	66	23,760	121	43,560	200	72,000	291	104,760
20	65	23,400	116	41,760	183	65,880	250	90,000
30	63	22,680	110	39,600	170	61,200	200	72,000
40	61	21,960	105	37,800	158	56,880	165	59,400
50	60	21,600	100	36,000	140	50,400	110	39,600
60	59	21,240	93	33,480	125	45,000	65	23,400
70	58	20,880	88	31,680	111	39,960		
80	56	20,160	85	30,600	100	36,000		
90	53	19,080	80	28,800	83	29,880		
100	50	18,000	75	27,000	65	23,400		
110	48	17,280	70	25,200	50	18,000		
120	45	16,200	63	22,680	33	11,880		
130	41	14,760	58	20,880	16	5,760		
140	38	13,680	53	19,080				
150	35	12,600	42	15,120				
160	33	11,880	38	13,680				
170	28	10,080	28	10,080				
180	26	9,360	24	8,640				
190	25	9,000	16	5,760				
200	23	8,280	8	2,880				
210	20	7,200						
220	16	5,760						
230	15	5,400						
240	11	3,960						
250	8	2,880						
<b>RRP</b>	<b>\$9,575</b>		<b>\$9,575</b>		<b>\$9,575</b>		<b>\$9,575</b>	



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



Mono Crystalline  
Solar Panels



ADD CABLE SET  
@ RRP \$14+GST  
per meter



- Dry run protection
- Bore cap or Dam float
- Easy DIY installation manual

# PRICE LIST

All prices are exclusive of GST



## FAIR DINKUM SOLAR PUMPS

### 3000W Centrifugal (C) solar pump systems include

- Drive Pack - pump, motor, controller
- Heavy duty cyclone rated pole mount frame
- 3000W Mono crystalline solar panels
- Bore or Dam mounting accessory kit
- DC isolator

#### 5CSS 30-5-3000

#### 5CSS 40-4-3000

#### 5CSS 60-2-3000

TDH	L/Min	L/Day	L/Min	L/Day	L/Min	L/Day
2	491	176,760	658	236,880	808	290,880
4	475	171,000	641	230,760	750	270,000
6	458	164,880	616	221,760	683	245,880
8	441	158,760	600	216,000	616	221,760
10	425	153,000	575	207,000	530	190,800
12	408	146,880	558	200,880	483	173,880
14	391	140,760	541	194,760	400	144,000
16	375	135,000	516	185,760	333	119,880
18	358	128,880	491	176,760	250	90,000
20	341	122,760	466	167,760	160	57,600
22	325	117,000	450	162,000		
24	308	110,880	425	153,000		
26	291	104,760	400	144,000		
28	275	99,000	375	135,000		
30	258	92,880	350	126,000		
32	241	86,760	325	117,000		
34	225	81,000	300	108,000		
36	208	74,880	266	95,760		
38	191	68,760	241	86,760		
40	175	63,000	208	74,880		
42	158	56,880	175	63,000		
44	141	50,760	141	50,760		
46	125	45,000	100	36,000		
48	108	38,880	66	23,760		
50	91	32,760	33	11,880		

**RRP**

**\$9,620**

**\$9,620**

**\$9,620**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



Mono Crystalline  
Solar Panels



ADD CABLE SET  
@ RRP \$14+GST  
per meter



- Dry run protection
- Bore cap or Dam float
- Easy DIY installation manual



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4C48400 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 20m
- Flow rate up to 15,120 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C48400

TDH	L/Min	L/Day
5	42	15,120
10	41	14,760
15	34	12,240
20	28	10,080

**\$5,335+GST Complete & ready to install**

Bore part number: 4C48400-B40 / Dam Floating part number: 4C48400-D40


### Each Waterboy solar pump system includes:



4CSS4-8  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x105w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6015 - Sacrificial anode 1 1/4"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 175 x 55 x 65cm @ 165kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4C781100 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 40m
- Flow rate up to 36,000 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C781100

TDH	L/Min	L/Day
5	100	36,000
10	95	34,200
15	90	32,400
20	85	30,600
25	70	25,200
30	60	21,600
40	40	14,400

**\$6,670+GST Complete & ready to install**

Bore part number: 4C781100-B40 / Dam Floating part number: 4C781100-D40


### Each Waterboy solar pump system includes:



4CSS7-8  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6016 - Sacrificial anode 1½"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 210 x 100 x 60cm @ 230kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 4C5121100 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 40m
- Flow rate up to 21,600 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C5121100

TDH	L/Min	L/Day
5	60	21,600
10	60	21,600
15	55	19,800
20	52	18,720
25	48	17,280
30	45	16,200
40	36	12,960


**\$6,670+GST Complete & ready to install**

Bore part number: 4C5121100-B40 / Dam Floating part number: 4C5121100-D40

### Each Waterboy solar pump system includes:



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

4CSS5-12  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6015 - Sacrificial anode 1 1/4"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 210 x 100 x 60cm @ 230kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4C1261100 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 25m
- Flow rate up to 57,600 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C1261100

TDH	L/Min	L/Day
5	160	57,600
10	130	46,800
15	110	39,600
20	90	32,400
25	80	28,800

**\$6,670+GST Complete & ready to install**

Bore part number: 4C1261100-B40 / Dam Floating part number: 4C1261100-D40


### Each Waterboy solar pump system includes:



4CSS12-6  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



4x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6016 - Sacrificial anode 1½"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 210 x 100 x 60cm @ 230kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4C782200 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 60m
- Flow rate up to 46,800 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C782200

TDH	L/Min	L/Day
10	130	46,800
20	120	43,200
30	100	36,000
40	90	32,400
50	80	28,800
60	70	25,200

**\$8,145+GST Complete & ready to install**

Bore part number: 4C782200-B40 / Dam Floating part number: 4C782200-D40


### Each Waterboy solar pump system includes:



4CSS7-8  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



8x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6016 - Sacrificial anode 1½"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 290 x 55 x 65cm @ 230kg  
1x pallet 170 x 115 x 43cm @ 170kg

# FAIR DINKUM SOLAR PUMPS



## WATERBOY 4C5122200 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 90m
- Flow rate up to 28,800 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C5122200

TDH	L/Min	L/Day
10	80	28,800
20	75	27,000
30	70	25,200
40	63	22,680
50	57	20,520
60	50	18,000
70	40	14,400
80	32	11,520
90	26	9,360

**\$8,145+GST Complete & ready to install**

Bore part number: 4C5122200-B40 / Dam Floating part number: 4C5122200-D40


### Each Waterboy solar pump system includes:



4CSS5-12  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



8x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6015 - Sacrificial anode 1 1/4"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 290 x 55 x 65cm @ 230kg  
1x pallet 170 x 115 x 43cm @ 170kg



# FAIR DINKUM SOLAR PUMPS

## WATERBOY 4C1262200 4" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 40m
- Flow rate up to 72,000 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

### 4C1262200

TDH	L/Min	L/Day
10	200	72,000
20	160	57,600
30	120	43,200
40	90	32,400

**\$8,145+GST Complete & ready to install**

Bore part number: 4C1262200-B40 / Dam Floating part number: 4C1262200-D40


### Each Waterboy solar pump system includes:



4CSS12-6  
pump, motor,  
controller



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



8x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6016 - Sacrificial anode 1½"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 290 x 55 x 65cm @ 230kg  
1x pallet 170 x 115 x 43cm @ 170kg



# FAIR DINKUM SOLAR PUMPS



## WATERBOY 5C2822200 5" Centrifugal Solar Pumping System

### FEATURES

- Brushless DC motor
- Integrated Soft start & MPPT
- Adjustable Speed & Timer Control
- All Stainless Steel
- High Efficiency

### BENEFITS

- Lift up to 10m
- Flow rate up to 93,600 L/day
- Simple installation
- Maintenance-free
- High reliability & life expectancy

**\$8,145+GST Complete & ready to install**

Bore part number: 5C2822200-B40 / Dam Floating part number: 5C2822200-D40


### 5C2822200

TDH	L/Min	L/Day
10	260	93,600

**Each Waterboy solar pump system includes:**



Heavy Duty  
Cyclone Rated Pole  
Mount Frame



8x330w  
Mono Crystalline  
Solar Panels



Bore Cap or  
Dam Float



40m of Power Cable  
low water probe &  
safety cabling



Low water protection  
(bore kit only)

5C28-2  
pump, motor,  
controller

### Accessories

- 6101 - Tank switch
- 6045NO - Pressure switch
- 6112 - 1.5" Double acting float valve
- 6016 - Sacrificial anode 1½"



Tank full switch  
inc 20m cable  
\$120+GST



Pressure Switch  
12 bar inc gauge &  
fittings \$250+GST



Double acting float valve  
For use with Pressure  
Switch - \$230+GST



Anode  
\$110+GST



Shipping Dimensions  
1x Crate 290 x 55 x 65cm @ 230kg  
1x pallet 170 x 115 x 43cm @ 170kg

# PRICE LIST

All prices are exclusive of GST



## Drive Pack Only

Retro fitting to existing panels or couple to new panels. See pump datasheets for performance with different panel configuration's. Higher voltage gives better performance, Do NOT exceed controller voltage.

### Helical Rotor (HR) Drive Pack *no splice kit or low level sensor*

2HRSS	2" HR sub drive pack inc pump, 370w motor & controller. Max 100 Voc	\$1,430	NEW
3HRSS	3" HR sub drive pack inc pump, 210w motor & controller. Max 100 Voc	\$1,590	
3HRSS-H	3" HR sub drive pack inc pump, 500w motor & controller. Max 100 Voc	\$1,840	
4HRSS	4" HR sub drive pack inc pump, 500w motor & controller. Max 100 Voc	\$1,990	
4HRSS-H	4" HR sub drive pack inc pump, 1000w motor & controller. Max 200 Voc	\$2,300	

### Helical Rotor (HR) Drive Pack *including cable fitted*

3HRSS-35	3" HR sub drive pack inc pump, 210w motor & controller. 35m power cable	\$1,750
3HRSS-H-40	3" HR sub drive pack inc pump, 500w motor & controller. 40m power cable	\$2,005
4HRSS-40	4" HR sub drive pack inc pump, 500w motor & controller. 40m power cable	\$2,160
4HRSS-H-40	4" HR sub drive pack inc pump, 1000w motor & controller. 40m power cable	\$2,590

### Centrifugal (C) Drive Pack *no splice kit or low level sensor*

4CSS4-8	C sub drive pack inc pump, 500w motor & controller. Max 100 Voc	\$2,245
4CSS5-12	C sub drive pack inc pump, 1000w motor & controller. Max 200 Voc	\$2,735
4CSS7-8	C sub drive pack inc pump, 1000w motor & controller. Max 200 Voc	\$2,735
4CSS12-6	C sub drive pack inc pump, 1000w motor & controller. Max 200 Voc	\$2,840
5CSS28-2	C sub drive pack inc pump, 1000w motor & controller. Max 200 Voc	\$2,960

### 4" 3000w Centrifugal (C) Drive Pack *no splice kit or low level sensor*

4CSS4-46	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,690
4CSS7-31	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,690
4CSS12-18	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,690
4CSS20-10	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,690

### 5" 3000w Centrifugal (C) Drive Pack *no splice kit or low level sensor*

5CSS30-5	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,730
5CSS40-4	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,730
5CSS60-2	C sub drive pack inc pump, 3000w motor & controller. Max 450 Voc	\$3,730

### AC/DC Hybrid Drive Packs, 60-380VDC or 90-240VAC

4CBW2.2-14-18	C sub drive pack inc, pump, motor, AC/DC switch & Isolator	\$3,342	NEW
---------------	--	---------	-----

# PRICE LIST

All prices are exclusive of GST



## Helical Rotor Pump and Motors

237048	370W 36V DC 2HRSS motor only	\$790	NEW
321048	210W 36V DC 3HRSS motor only	\$820	
350048	500W 48V DC 3HRSS-H motor only	\$870	
20370	370W 2" HR 36V DC 2HRSS submersible pump and motor	\$1,120	NEW
30210	210W 3" HR 36V DC 3HRSS submersible pump and motor	\$1,190	
30500	500W 3" HR 48V DC 3HRSS-H submersible pump and motor	\$1,340	
30001	210W 3HRSS helical rotor assembly	\$220	
30002	500W 3HRSS-H helical rotor assembly	\$220	
450048	500W 48V DC 4HRSS motor only	\$890	
41000110	1000W 110V DC 4HRSS-H motor only	\$980	
40500	500W 4" HR 48V DC 4HRSS submersible pump and motor	\$1,340	
41000	1000W 4" HR 110V DC 4HRSS-H submersible pump and motor	\$1,520	
40001	500W 4HRSS helical rotor assembly	\$260	
40002	1000W 4HRSS-H helical rotor assembly	\$290	

## Centrifugal Pump and Motors

450048C	500W 4" C 48V DC motor only	\$955
41000110C	1000W 4" C 110V DC motor only	\$1,150
43000330C	3000W 4" C 330 – 360V DC motor only	\$1,750
40548	500W 4" C 48V DC 4CSS4-8 submersible pump & motor	\$1,590
41512	1000W 4" C 110V DC 4CSS5-12 submersible pump & motor	\$1,859
4178	1000W 4" C 110V DC 4CSS7-8 submersible pump & motor	\$1,859
41126	1000W 4" C 110V DC 4CSS12-6 submersible pump & motor	\$1,859
51282	1000W 5" C 110V DC 5CSS28-2 submersible pump & motor	\$1,859

## Surface Pump Drive Packs

SSP500	Pool pump inc 500w motor, pump & controller. Max 96 Voc	\$1,380
SSP1000	Pool pump inc 1000w motor, pump & controller. Max 200 Voc	\$1,960
SSC2.2	Surface C inc pump, 210w motor & controller. Max 100 Voc	\$1,290

## 240V AC Pressure pump inc Pump, motor & electronic flow controller

PS370	WB 240V AC 370w rated 25 L/Min, 20m 3 tap pressure pump	\$400
PS1000	WB 240V AC 1000w rated 50 L/Min, 30m 6 tap pressure pump	\$550
APC	240V AC 1 Bar electronic pressure controller to suit above	\$120

## Solar Pump Controllers

PCB500	24 – 48V DC MAX 100Voc pump controller PCB	\$770
PC500	24 – 48V DC MAX 100Voc pump controller in housing	\$880
PCB1000	72-110V DC MAX 200Voc pump controller PCB	\$950
PC1000	72-110V DC MAX 200Voc pump controller in housing	\$1,050
PC3000	330 – 360V DC MAX 450Voc pump controller in housing	\$1,600



# PRICE LIST

All prices are exclusive of GST



## Pole Mount Arrays

WB-Mini	Array frame with post, rails & clamps. MAX - 4x105w modules	\$920
WB-Midi	Array frame with post, rails & clamps. MAX - 4x330w modules	\$1,380
WB-Maxi	Array frame with post, rails & clamps MAX - 8x330w modules	\$1,920

\* Standard mid & end clamps are 35mm



## Accessories

6055	4"-6" cast aluminium bore cap	\$55
6101	Tank full switch including 20m cable	\$120
6045NO	Pressure switch N/O N/C 12 bar inc gauge and fittings	\$250
XMXA12L2135	Pressure switch N/O N/C 12 BAR	\$190
6103	Dam float to suit 3" WATERBOY pump	\$175
6104	Dam float to suit 4" WATERBOY pump	\$350
6013	3" HR sacrificial anode	\$99
6014	4" HR sacrificial anode	\$99
6015	4" Centrifugal sacrificial anode 1¼"	\$110
6016	4" Centrifugal sacrificial anode 1½"	\$110
ISOMC4	1000V 32A DC isolator with MC4 connectors	\$132
MC4/2M-S	MC4 M & F 2m lead	\$28
CA-MC4-PP	MC4 Branch connector positive	\$22
CA-MC4-NS	MC4 Branch connector negative	\$22
6114	Double acting float valve 1¼"	\$230
6112	Double acting float valve 1½"	\$230
1658	Low level sensor	\$90
165840	Low level sensor fitted with 40m cable	\$145
6024	Submersible cable splice kit	\$35



## AC – DC Power Packs

PP600	240VAC to 48V DC, 600W power pack	\$750
PP1200	240VAC to 110V DC, 1200W power pack	\$1,495



## Cabling – per meter

Add extra cabling to any package

6000	Complete Cable set including power/low level/SS safety cable	\$14
6340	Rubber submersible power cable 3G 4mm²	\$10
6210	Rubber submersible probe cable 2G 1mm²	\$3
27153	4mm² Twin Solar Cable	\$6
6009	Safety Cable, Stainless Steel 3mm	\$3
600940	Safety cable, Stainless steel 4mm x 40m	\$120
6500	Cable splice and wet test. (No discount applies)	\$100



1300 554 307

accounts@bwsolar.com.au