



Australian Made Rural Water Tanks

ZINCALUME® and COLORBOND®
26,000L–365,000L



Steel corrugated tanks

Kingspan tanks range from 26,000L–365,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in the full range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

Tank sizes



Model	Capacity for 2.2m high tanks*		Tank Diameter	Pad Diameter
	Litres	Gallons		
RT-25	26,062	5,792	3.88	5.5
RT-40	40,723	9,049	4.85	6.5
RT-60	58,640	13,031	5.82	7.5
RT-80	79,816	17,737	6.79	8.5
RT-100	104,250	23,167	7.76	9.5
RT-130	131,941	29,320	8.73	10.5
RT-160	162,890	36,198	9.71	11.5
RT-200	197,097	43,799	10.68	12.5
RT-230	234,562	52,125	11.65	13.5
RT-275	275,284	61,174	12.62	14.5
RT-310*	309,235	68,710	11.65m (2.9m h)	13.5
RT-365*	362,979	80,639	12.62m (2.9m h)	14.5



Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

Optional Extras

Tank level gauge, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!



1800 632 410

rhinotanks.com.au



Steel Corrugated and Streamline tanks

Kingspan tanks range from 27,000L–353,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in a range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

Tank sizes



CHOOSE FROM

Corrugated profile

Tank code	Litres	Height	Diameter
CT6	27,396	2.27	3.92
CT9	39,383	2.27	4.70
CT12	53,735	2.27	5.49
CT15	69,866	2.27	6.26
CT20	88,864	2.27	7.06
CT25	109,584	2.27	7.84
CT30	132,781	2.27	8.63
CT35	157,868	2.27	9.41
CT41	184,761	2.27	10.18
CT48	215,333	2.27	10.99
CT54	246,984	2.27	11.77
CT60	280,804	2.27	12.55
CT70	315,843	2.27	13.31
CT80	353,947	2.27	14.09

Streamline profile

Tank code	Litres	Height	Diameter
HGT55	54,682	2.31	5.49
HGT75	71,097	2.31	6.26
HGT90	90,430	2.31	7.06
HGT110	111,515	2.31	7.84
HGT135	135,121	2.31	8.63
HGT160	160,650	2.31	9.41
HGT188	188,017	2.31	10.18
HGT220	219,128	2.31	10.99
HGT250	251,336	2.31	11.77
HGT285	285,752	2.31	12.55

Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

Optional Extras

Tank level gauge, unique roof catchment gutter, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!

1800 115 552

heritagetanks.com.au



Use this formula to calculate how much rainwater you can harvest from your roof (catchment area)

Total Rainwater Harvested

m²

mm

L

Example: An average house and medium sized shed (350m²) in a region with an annual rainfall of 600mm can harvest 210,000 litres per year.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Perth
54 Collopy Road
Hazelmere WA 6105

Melbourne
55 Ricky Way
Epping VIC 3076

Deniliquin Warehouse/Depot
Lot 2 Wakool Road
Deniliquin NSW 2710

Brisbane
Unit 2/59 Link Drive
Yatala QLD 4132

Sydney
3 Herbert Place
Smithfield NSW 2164

1800 115 552



AUSTRALIAN[®]
WATER
—
ASSOCIATION

We take every care to ensure that the information in this document is accurate at the point of publication. Technical references, AS/NZS standards and compliances may vary to suit our customers' requirements, scope of work, request for quote and our ability to comply as far as reasonably practical with standards listed and, standards which may cross reference. Specification may vary (within a small parameter) due to manufacturing process variations or environmental conditions. All images are for illustration purposes only and should not be taken as binding. The actual product may vary, and specification/ dimensions/colour/ other attributes may differ.

To ensure you are viewing the most recent and accurate product information, please visit this link:
www.kinaspantank.com.au/rural-water-tanks-brochure

©Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group plc in the UK, Ireland and other countries. All rights reserved.
Registered in Company No. NI017631. Registered Office: 180 Gilford Road, Portadown, Co. Armagh, BT63 5LF.
VAT GB412 5124 03

